



- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY



Product Approval

USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

FL #	FL5331
Application Type	New
Code Version	2004
Application Status	Approved
Comments	
Archived	<input type="checkbox"/>
Product Manufacturer	NuAir Windows and Doors
Address/Phone/Email	8105 Anderson Rd Tampa, FL 33634 (813) 885-1654 ext 154 idavid@nuair.com
Authorized Signature	Carl Driver cdriver@nuair.com
Technical Representative	Jens Rosowski
Address/Phone/Email	8105 Anderson Rd Tampa, FL 33634 jrosowski@nuair.com
Quality Assurance Representative	Carl Driver
Address/Phone/Email	8105 Anderson Rd Tampa, FL 33634 cdriver@nuair.com
Category	Windows
Subcategory	Horizontal Slider
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer <input checked="" type="checkbox"/> Evaluation Report - Hardcopy Received
Florida Engineer or Architect Name who developed the Evaluation Report	James Whittum, PE
Florida License	PE- 27689
Quality Assurance Entity	National Accreditation and Management Institute
Validated By	Joseph Demidovich
Certificate of Independence	

Referenced Standard and Year (of Standard)

Standard

Year

ANSI/AAMA/NWWDA 101 I.S. 2

1997

Miami-Dade TAS 202

1994

Equivalence of Product Standards Certified By

Sections from the Code

Product Approval Method

Method 1 Option D

Date Submitted

09/19/2005

Date Validated

10/22/2005

Date Pending FBC Approval

10/01/2005

Date Approved

10/26/2005

Summary of Products

FL #	Model, Number or Name	Description
5331.1	900	Non-impact, XO, OX, and XOX, fin and flange frames
Limits of Use (See Other) Approved for use in HVHZ: Approved for use outside HVHZ: Impact Resistant: Design Pressure: +/- Other: 900 Series as Tested: 123" x 61" XOX = C30; 123" x 49" XOX = C40; 72" x 72" XO = HC30; 72" x 60" XO = HC40; 60" x 48" XO = HC50; For other sizes or glass options, please see the enclosed documents. Not To Be Used In HVHZ.		Installation Instructions Verified By: Evaluation Reports PTID 5331 T HR 900.pdf PTID 5331 T HR 975.pdf
5331.2	975	Non-impact, XO, OX, and XOX, fin and flange frames
Limits of Use (See Other) Approved for use in HVHZ: Approved for use outside HVHZ: Impact Resistant: Design Pressure: +/- Other: 975 Series As Tested: 111" x 63" XOX = C40; 111" x 63" = C60; For other sizes or glass options, please see the enclosed documents. Not To Be Used In HVHZ.		Installation Instructions Verified By: Evaluation Reports

[Back](#)

[Next](#)

Product Approval Accepts:

