



- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY



Product Approval

USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

FL #	FL5333
Application Type	New
Code Version	2004
Application Status	Approved
Comments	
Archived	<input type="checkbox"/>
Product Manufacturer	NuAir Windows and Doors
Address/Phone/Email	8105 Anderson Rd Tampa, FL 33634 (813) 885-1654 ext 154 idavid@nuair.com
Authorized Signature	Carl Driver cdriver@nuair.com
Technical Representative	Jens Rosowski
Address/Phone/Email	8105 Anderson Rd Tampa, FL 33634 jrosowski@nuair.com
Quality Assurance Representative	Carl Driver
Address/Phone/Email	8105 Anderson Rd Tampa, FL 33634 cdriver@nuair.com
Category	Windows
Subcategory	Fixed
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer <input checked="" type="checkbox"/> Evaluation Report - Hardcopy Received
Florida Engineer or Architect Name who developed the Evaluation Report	James Whittum, PE
Florida License	PE- 27689
Quality Assurance Entity	National Accreditation and Management Institute
Validated By	Joseph Demidovich

Certificate of Independence

Referenced Standard and Year (of Standard)	<u>Standard</u>	<u>Year</u>
	AAMA/NWWDA 101 I.S. 2	1997
	Miami-Dade TAS 202	1994

Equivalence of Product Standards Certified By

Sections from the Code

Product Approval Method Method 1 Option D

Date Submitted 09/19/2005
Date Validated 10/22/2005
Date Pending FBC Approval 10/01/2005
Date Approved 10/26/2005

Summary of Products

FL #	Model, Number or Name	Description
5333.1	900	Non-impact, all shapes, fin or flange frame
Limits of Use (See Other) Approved for use in HVHZ: Approved for use outside HVHZ: Impact Resistant: Design Pressure: +/- Other: 900 Series As Tested: 74" x 74" = HC70; 60" x 60" = HC55; 48" x 48" = HC45; For other sizes or glass options, please see the enclosed documents. Not To Be Used In HVHZ.		Installation Instructions Verified By: Evaluation Reports PTID 5333 T PW 900.pdf PTID 5333 T PW 975.pdf
5333.2	975	Non-impact, all shapes, fin or flange frame
Limits of Use (See Other) Approved for use in HVHZ: Approved for use outside HVHZ: Impact Resistant: Design Pressure: +/- Other: 975 Series As Tested: 48" x 48" = C40; 61" x 61" = C35; 61" x 61" w/Temp = C80; For other sizes or glass options, please see the enclosed documents. Not To Be Used In HVHZ.		Installation Instructions Verified By: Evaluation Reports

[Back](#)

[Next](#)

